INGREDIENT DATA SHEET

Identification of the substance/mixture and of the company/undertaking

Trade name
Steamery Fabric Spray

Company and address
Kempartner AB
Snickarvägen 2
592 41 Vadstena
Sweden
+46-8 683 88 00
Contact person
Caroline Göransson
E-mail
info@kemibolaget.se

Date
04/09/2023
Version
3.0
Date of previous version
04/12/2021 (2.0)

Information on ingredients

Ingredient name
AQUA
Alcohol, C10-18, ethoxylated
METHOXYMETHYLBUTANOL
Perfumes
DIPROPYLENE GLYCOL
HEXYL CINNAMAL
BENZISOTHIAZOLINONE
SODIUM HYDROXIDE

FAKTABLAD ÖVER BESTÅNDSDELAR

Namnet på ämnet/blandningen och bolaget/företaget

Handelsnamn
Steamery Fabric Spray

Företagsuppgifter
Kempartner AB
Snickarvägen 2
592 41 Vadstena
Sweden
+46-8 683 88 00

Kontaktperson
Caroline Göransson

E-post
info@kemibolaget.se

Utgivningsdatum
2023-09-04

Version
3.0

Datum för tidigare utgåva
2021-12-04 (2.0)

Information om beståndsdelar

Beståndsdelens namn
AQUA
Alcohol, C10-18, ethoxylated
METHOXYMETHYLBUTANOL
Parfym
DIPROPYLENE GLYCOL
HEXYL CINNAMAL
BENZISOTHIAZOLINONE
SODIUM HYDROXIDE

SAFETY DATA SHEET

Steamery Fabric Spray

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Steamery Fabric Spray

▼Unique formula identifier (UFI)

S059-N061-Q00E-TEKH

1.2. Relevant identified uses of the substance or mixture and uses advised against

▼Relevant identified uses of the substance or mixture

Cleaning product

▼Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

▼Company and address

Kempartner AB
Snickarvägen 2
592 41 Vadstena
Sweden
+46-8 683 88 00

Contact person

Caroline Göransson

E-mail

info@kemibolaget.se

Revision

04/09/2023

SDS Version

3.0

Date of previous version

04/12/2021 (2.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 “First aid measures”.

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

▼Hazard pictogram(s)

Not applicable.

▼Signal word

Not applicable.

▼Hazard statement(s)

Not applicable.

Precautionary statement(s)

General

-

Prevention

-

Response

-

Storage

-

Disposal

-

▼Hazardous substances

None known.

▼Additional labelling

EUH208, Contains 1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one. May produce an allergic reaction.
EUH210, Safety data sheet available on request.
UFI: S059-N061-Q00E-TEKH

2.3. Other hazards

▼Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. ▼Substances

Not applicable. This product is a mixture.

3.2. ▼Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohol, C10-18, ethoxylated	CAS No.: 85422-93-1 EC No.: UK-REACH: Index No.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
3-methoxy-3-methylbutan-1-ol	CAS No.: 56539-66-3 EC No.: 260-252-4 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319	
Hexyl Cinnamal	CAS No.: 101-86-0 EC No.: 202-983-3 UK-REACH: Index No.:	<0.05%	Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one	CAS No.: 2634-33-5 EC No.: 220-120-9 UK-REACH: Index No.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0.05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

▼Other information

-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.
Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.
If skin irritation occurs: Get medical advice/attention.

▼Eye contact

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

▼Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.
In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

▼Burns

Not applicable.

4.2. ▼Most important symptoms and effects, both acute and delayed

Sensitisation: This product contains substances, which may trigger allergic reaction upon dermal contact.
Manifestation of allergic reactions typically takes place within 12-72 hours after exposure.

4.3. ▼Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. ▼Extinguishing media

Not applicable.

5.2. ▼Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.
If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:
Carbon oxides (CO / CO2)

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

6.1. ▼Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. ▼Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. ▼Reference to other sections

See section 13 “Disposal considerations” on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

▼Recommended storage material
Keep only in original packaging.

▼Storage temperature
Room temperature 15 to 25°C
Protect from sunlight.

Incompatible materials
Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼Specific end use(s)
This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters
No substances are listed in the national list of substances with an occupational exposure limit.

▼DNEL
1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - Workers	Dermal	966 µg/kgbw/day
Long term – Systemic effects - Workers	Inhalation	6.81 mg/m³

▼PNEC
1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		4.03 µg/L
Freshwater sediment		49.9 µg/kg
Intermittent release (freshwater)		1.1 µg/L
Intermittent release (marine water)		110 ng/L
Marine water		403 ng/L
Marine water sediment		4.99 µg/kg
Sewage treatment plant		1.03 mg/L
Soil		3 mg/kg

8.2. ▼Exposure controls
Control is unnecessary if the product is used as intended.

General recommendations
Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios
There are no exposure scenarios implemented for this product.

Exposure limits
Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures
Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures
In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

▼Measures to avoid environmental exposure
No specific requirements.

Individual protection measures, such as personal protective equipment

▼Generally
Use only UKCA marked protective equipment.

▼Respiratory Equipment

Type	Class	Colour	Standards
No special when used as intended.			

▼Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

▼Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
No special when used as intended	-	-	-

▼Eye protection

Type	Standards
No special when used as intended.	-

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state
Liquid

Colour
Colourless

Odour / Odour threshold
Parfymerad

▼pH
7,0-8,0

▼Density (g/cm³)
~1,0

▼Kinematic viscosity
Testing not relevant or not possible due to the nature of the product.

Particle characteristics
Does not apply to liquids.

Phase changes

▼Melting point/Freezing point (°C)
0

Softening point/range (waxes and pastes) (°C)
Does not apply to liquids.

▼Boiling point (°C)
Testing not relevant or not possible due to the nature of the product.

▼Vapour pressure
Testing not relevant or not possible due to the nature of the product.

▼Relative vapour density
Testing not relevant or not possible due to the nature of the product.

▼Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

▼Flash point (°C)
Testing not relevant or not possible due to the nature of the product.

▼Flammability (°C)
Testing not relevant or not possible due to the nature of the product.

▼Auto-ignition temperature (°C)
Testing not relevant or not possible due to the nature of the product.

▼Lower and upper explosion limit (% v/v)
Testing not relevant or not possible due to the nature of the product.

Solubility

Solubility in water
Soluble

▼n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.

▼Solubility in fat (g/L)

Testing not relevant or not possible due to the nature of the product.

9.2. Other information

▼Other physical and chemical parameters

No data available.

▼Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

SECTION 10: Stability and reactivity

10.1. ▼Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 “Handling and storage”.

10.3. ▼Possibility of hazardous reactions

None known.

10.4. ▼Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

▼Acute toxicity

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 423
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300- 2000 mg/kg

Product/substance	1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1450 mg/kg

Product/substance	1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>5000 mg/kg

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

▼Skin sensitisation

This product contains substances that may trigger an allergic reaction in already sensitized persons.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

▼Long term effects

None known.

▼Endocrine disrupting properties

Not applicable.

▼Other information

None known.

SECTION 12: Ecological information

12.1. ▼Toxicity

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 202
Species:	Crustacean, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>1-<10 mg/L

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 201
Species:	Algae, Desmodesmus subspicatus
Duration:	72 hours
Test:	EC50
Result:	>1-<10 mg/L

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 215
Species:	Fish, Brachydanio rerio
Duration:	28 days
Test:	NOEC
Result:	>0,1-<1 mg/L

Product/substance	Alcohol, C10-18, ethoxylated
Test method:	OECD 211
Species:	Crustacean, Daphnia magna
Duration:	21 days
Test:	NOEC
Result:	>0,1-<1 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one
Species:	Fish, Pimephales promelas
Compartment:	Water
Duration:	96 hours
Test:	LC50
Result:	3,4 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one
Species:	Algae
Compartment:	Water
Duration:	72 hours
Test:	EC50
Result:	0,15 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one;1,2-benzisothiazolin-3-one
Species:	Crustacean, Daphnia magna
Compartment:	Water
Duration:	48 hours
Test:	LC50
Result:	1,3 - 1,6 mg/L

12.2. ▼Persistence and degradability
No data available.
12.3. ▼Bioaccumulative potential
No data available.
12.4. ▼Mobility in soil
No data available.
12.5. Results of PBT and vPvB assessment
This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.
12.6. ▼Endocrine disrupting properties
Not applicable.
12.7. ▼Other adverse effects
None known.

SECTION 13: Disposal considerations

13.1. ▼Waste treatment methods
Product is not covered by regulations on dangerous waste.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
EWC code
20 01 30 Detergents other than those mentioned in 20 01 29
Contaminated packing
Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group
** Environmental hazards
▼Additional information
Not dangerous goods according to ADR, IATA and IMDG.
14.6. ▼Special precautions for user
Not applicable.
14.7. ▼Maritime transport in bulk according to IMO instruments
No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
▼Restrictions for application
No special.
▼Demands for specific education
No specific requirements.
▼SEVESO - Categories / dangerous substances
Not applicable.
▼Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%
· Non-ionic surfactants
· Perfumes
· Preservation agent (BENZISOTHIAZOLINONE)

▼Additional information
The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

▼Sources

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.
1993 Hazardous Substances Law
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H318, Causes serious eye damage.
H319, Causes serious eye irritation.
H400, Very toxic to aquatic life.
H411, Toxic to aquatic life with long lasting effects.
H412, Harmful to aquatic life with long lasting effects.

▼Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

▼Additional information

Not applicable.

▼The safety data sheet is validated by

JE

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.
Country-language: GB-en

SÄKERHETSDATABLAD

Steamery Fabric Spray

AVSNITT 1: Namnet på ämnet/blandningen och bolaget/företaget

1.1. Produktbeteckning

Handelsnamn

Steamery Fabric Spray

Produkt nr.

3306

▼Unik formuleringsidentifierare (UFI)

S059-N061-Q00E-TEKH

1.2. Relevanta identifierade användningar av ämnet eller blandningen och användningar som det avråds från

▼Relevanta identifierade användningar av ämnet eller blandningen

Rengörare

▼Användningar som det avråds från

Inga kända.

1.3. Närmare upplysningar om den som tillhandahåller säkerhetsdatabladet

▼Företagsuppgifter

Kempartner AB
Snickarvägen 2
592 41 Vadstena
Sweden
+46-8 683 88 00

Kontaktperson

Caroline Göransson

E-post

info@kemibolaget.se

Omarbetad

2023-09-04

SDB Version

3.0

Datum för tidigare utgåva

2021-12-04 (2.0)

1.4. Telefonnummer för nödsituationer

Akut: Ring 112, begär giftinformation. Öppet dygnet runt.
Mindre akut: Ring 010-456 6700. Öppet dygnet runt.
Se avsnitt 4 om åtgärder vid första hjälpen.

AVSNITT 2: Farliga egenskaper

Klassificerad enligt förordningen (EG) nr 1272/2008 (CLP).

2.1. Klassificering av ämnet eller blandningen

Inte klassificerad enligt förordningen (EG) nr 1272/2008 (CLP).

2.2. Märkningsuppgifter

▼Faropiktogram

Ej tillämpligt.

▼Signalord

Ej tillämpligt.

▼Faroangivelser

Ej tillämpligt.

Skyddsangivelser

Allmänt

-

Förebyggande
-
Åtgärder
-
Förvaring
-
Avfall
-

▼Innehåller
Inga kända.

▼Annan märkning
EUH208, Innehåller 1,2-benzisotiazol-3(2H)-on. Kan orsaka en allergisk reaktion.
EUH210, Säkerhetsdatablad finns att rekvirera.
UFI: S059-N061-Q00E-TEKH

2.3. Andra faror

▼Annat
Denna blandning/produkt innehåller inga ämnen som anses uppfylla kriterierna för klassificering som PBT- och/eller vPvB-ämnen.
Produkten innehåller inga ämnen som bedömts vara hormonstörande enligt kriterierna i Kommissionens delegerade förordning (EU) 2017/2100 eller Kommissionens förordning (EU) 2018/605.

AVSNITT 3: Sammansättning/information om beståndsdelar

3.1. ▼Ämnen

Ej tillämpligt. Denna produkt är en blandning.

3.2. ▼Blandningar

Produkt/Ämne	Identifierare	% w/w	Klassificering	Anm.
Alcohol, C10-18, ethoxylated	CAS-nr.: 85422-93-1 EG-nr.: REACH: 02-2119831120-58-0000 Indexnr.:	1-3%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	
3-methoxy-3-methylbutan-1-ol	CAS-nr.: 56539-66-3 EG-nr.: 260-252-4 REACH: 01-2119976333-33-XXXX Indexnr.:	1-3%	Eye Irrit. 2, H319	
Hexyl Cinnamal	CAS-nr.: 101-86-0 EG-nr.: 202-983-3 REACH: Indexnr.:	<0.05%	Skin Sens. 1B, H317 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
1,2-benzisotiazol-3(2H)-on	CAS-nr.: 2634-33-5 EG-nr.: 220-120-9 REACH: Indexnr.: 613-088-00-6	<0.05%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 (SCL: 0,05 %) Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10)	

Fullständig ordalydelse av H-fraserna finns i avsnitt 16. Arbetshygieniska gränsvärden finns i avsnitt 8 - om de är tillgängliga.

▼Annan information
-

AVSNITT 4: Åtgärder vid första hjälpen

4.1. Beskrivning av åtgärder vid första hjälpen

Allmänt
Vid olycka: Kontakta läkare eller akutmottagning - ta med etiketten eller detta säkerhetsdatablad.
Vid bestående symptom eller om det råder tveksamheter om den påverkades tillstånd skall läkarhjälp sökas. Ge

aldrig en medvetslös person vatten eller liknande.

Inandning

I fall av andningssvårigheter eller irritation i andningsvägarna: Flytta den skadade personen till frisk luft direkt och håll personen under uppsyn.

▼Hudkontakt

VID HUDKONTAKT: Tvätta med mycket vatten/vatten och tvål.
Avlägsna förorenade kläder och skor. Hud som har varit i kontakt med materialet tvättas grundligt med tvål och vatten. Använd EJ organiska lösningsmedel.
Vid hudirritation: Sök läkarhjälp.

▼Kontakt med ögonen

Vid kontakt med ögonen: Skölj genast med vatten (20-30 °C) i minst 5 minuter. Avlägsna eventuella kontaktlinser. Uppsök läkare.

▼Förtäring

Om personen är vid medvetande, skölj munnen med vatten och stanna hos personen. Ge aldrig personen något att dricka. Vid illamående: Kontakta omgående läkare och ta med detta säkerhetsdatablad eller etiketten från produkten. Framkalla ej kräkning, annat än om läkaren rekommenderar detta. Sänk huvudet så att eventuella kräkningar ej rinner tillbaka i munnen och ner i halsen.

▼Brännskada

Ej tillämpligt.

4.2. ▼De viktigaste symptomen och effekterna, både akuta och fördröjda

Överkänslighetsreaktioner: Produkten innehåller ämnen som kan utlösa en allergisk reaktion vid hudkontakt. Allergireaktionen inträffar typiskt 12-72 timmar efter exponering för allergenet och sker genom att allergenet tränger in i huden och reagerar med proteiner i det yttersta hudlagret. Kroppens immunsystem uppfattar det kemiskt ändrade proteinet som främmande kropp och försöker bryta ned det.

4.3. ▼Angivande av omedelbar medicinsk behandling och särskild behandling som eventuellt krävs

Behandla symptomatiskt.

Information till läkare

Medtag detta säkerhetsdatablad eller etiketten från produkten.

AVSNITT 5: Brandbekämpningsåtgärder

5.1. ▼Släckmedel

Ej tillämpligt.

5.2. ▼Särskilda faror som ämnet eller blandningen kan medföra

Vid brand utvecklas tät rök. Att utsättas för nedbrytningsprodukter kan utgöra hälsofara. Slutna behållare som utsätts för eld avkyls med vatten. Låt ej vatten från brandsläckning rinna ut i kloak och vattendrag.
Om produkten utsätts för höga temperaturen, t.ex. i händelse av brand, kan farliga nedbrytningsprodukter bildas.
Dessa är:
Koloxider (CO / CO2)

5.3. Råd till brandbekämpningspersonal

Brandpersonal bör använda lämplig skyddsutrustning.

AVSNITT 6: Åtgärder vid oavsiktliga utsläpp

6.1. ▼Personliga skyddsåtgärder, skyddsutrustning och åtgärder vid nödsituationer

Förorenade områden kan vara hala.

6.2. Miljöskyddsåtgärder

Undvik utsläpp i sjöar, åar, kloaker etc.
Håll obehöriga personer på avstånd från spillet

6.3. ▼Metoder och material för inneslutning och sanering

Spill begränsas och samlas upp med icke-brännbart absorberande material, t.ex. sand, jord, vemikulit, kiselgur och placeras i behållare och bortskaffas i överensstämmelse med gällande regler.
Rengöring utförs så långt som möjligt med rengöringsmedel. Lösningsmedel bör undvikas.

6.4. ▼Hänvisning till andra avsnitt

Se avsnitt 13 "Avfallshantering".
Se avsnitt 8 "Begränsning av exponeringen/personligt skydd" om personligt skydd.

AVSNITT 7: Hantering och lagring

7.1. Skyddsåtgärder för säker hantering

Rökning, förtäring av mat och intag av dryck är ej tillåtet i arbetslokalerna.
Se avsnitt 8 om personligt skydd.

7.2. ▼Förhållanden för säker lagring, inklusive eventuell oförenlighet

Öppnad behållare skall återförslutas väl och förvaras i upprätt läge för att förhindra läckage.

▼Kompatibla förpackningar

Förvaras endast i originalförpackningen.

▼Lagringstemperatur

Rumstemperatur, 15 - 25°C
Skyddas från solljus.

Oförenliga material

Starka syror, starka baser, starka oxidationsmedel och starka reduktionsmedel.

7.3. Specifik slutanvändning

Denna produkt bör endast användas för de användningar som beskrivs i avsnitt 1.2.

AVSNITT 8: Begränsning av exponeringen/personligt skydd

8.1. Kontrollparametrar

Produkten innehåller inga ämnen som är upptagna på Arbetsmiljöverkets lista över ämnen med ett gränsvärde för exponering på arbetsplatsen.

▼DNEL

1,2-benzisotiazol-3(2H)-on

Varaktighet:	**Exponeringsväg:**	**DNEL:**
Långvarig – Systemiska effekter - Arbetare	Hud	966 µg/kg/d
Långvarig – Systemiska effekter - Arbetare	Inandning	6.81 mg/m³

▼PNEC

1,2-benzisotiazol-3(2H)-on

Exponeringsväg:	**Exponeringens varaktighet:**	**PNEC:**
Avloppsreningsverk		1.03 mg/L
Havsvatten		403 ng/L
Havsvatten sediment		4.99 µg/kg
Jord		3 mg/kg
Sötvatten		4.03 µg/L
Sötvattenssediment		49.9 µg/kg
Sporadiska utsläpp (havsvatten)		110 ng/L
Sporadiska utsläpp (sötvatten)		1.1 µg/L

8.2. Begränsning av exponeringen

Ingen kontroll nödvändig under förutsättning att produkten används normalt.

Generellt

Rökning, förtäring av mat och intag av dryck är ej tillåtet i arbetslokalerna.

Exponeringsscenarier

Det finns inga implementerade exponeringsscenarier för denna produkt.

Exponeringsgräns

Det förekommer inga exponeringsgränser för innehållsämnena i produkten.

Tekniska åtgärder

Tillämpa standardföreskrifter vid användning av produkten. Undvik inandning av ångor.

Hygieniska åtgärder

Vid varje paus vid användning av produkten och vid arbetets slut skall de exponerade områdena på kroppen tvättas. Tvätta alltid händer, underarmar och ansikte.

Begränsning av miljöexponering

Inga särskilda krav.

Individuella skyddsåtgärder

Allmänt

Använd endast CE-märkt skyddsutrustning.

▼Andningsskydd

Typ	Klass	Färg	Standarder
Inga särskilda vid normal och avsedd användning.			

▼Hudskydd

Rekommenderad	Typ/Kategori	Standarder
Inga särskilda vid normal och avsedd användning.	-	-

▼Handskydd

Handskmaterial	Handsktjocklek (mm)	Genombrottstid (min.)	Standarder
Inga särskilda vid normal och avsedd användning	-	-	-

▼Ögonskydd

Typ	Standarder
Inga särskilda vid normal och avsedd användning.	-

AVSNITT 9: Fysikaliska och kemiska egenskaper

9.1. Information om grundläggande fysikaliska och kemiska egenskaper

Fysikaliskt tillstånd
Vätska

Färg
Färglös

Lukt / Lukttröskel (ppm)
Parfymerad

▼pH
7,0-8,0

▼Densitet (g/cm³)
~1,0

▼Kinematisk viskositet
Provning är inte relevant eller möjlig för denna typ av produkt.

Partikelegenskaper
Gäller inte för vätskor.

Fas förändringar

▼Smältpunkt/fryspunkt (°C)
0

Mjukpunkt/mjukpunktsintervall (vaxer och pastor) (°C)
Gäller inte för vätskor.

Kokpunkt (°C)
Provning är inte relevant eller möjlig för denna typ av produkt.

Ångtryck
Provning är inte relevant eller möjlig för denna typ av produkt.

Ångdensitet
Provning är inte relevant eller möjlig för denna typ av produkt.

Sönderdelningstemperatur (°C)
Provning är inte relevant eller möjlig för denna typ av produkt.

Data om brand- och explosionsrisker

Flampunkt (°C)
Provning är inte relevant eller möjlig för denna typ av produkt.

Brandfarlighet (°C)
Provning är inte relevant eller möjlig för denna typ av produkt.

Självantändningstemperatur (°C)
Provning är inte relevant eller möjlig för denna typ av produkt.

Explosionsgränser (% v/v)

Provning är inte relevant eller möjlig för denna typ av produkt.

Löslighet

▼Löslighet i vatten

Lösligt

n-oktanol/vatten koefficient

Provning är inte relevant eller möjlig för denna typ av produkt.

Löslighet i fett (g/L)

Provning är inte relevant eller möjlig för denna typ av produkt.

9.2. Annan information

▼Andra fysikaliska och kemiska parametrar

Ingen data tillgänglig.

▼Oxiderande egenskaper

Provning är inte relevant eller möjlig för denna typ av produkt.

AVSNITT 10: Stabilitet och reaktivitet

10.1. ▼Reaktivitet

Ingen data tillgänglig.

10.2. ▼Kemisk stabilitet

Produkten är stabil under de förhållanden som anges i avsnitt 7 (Hantering och lagring).

10.3. ▼Risken för farliga reaktioner

Inga kända.

10.4. ▼Förhållanden som ska undvikas

Inga kända.

10.5. Oförenliga material

Starka syror, starka baser, starka oxidationsmedel och starka reduktionsmedel.

10.6. Farliga sönderdelningsprodukter

Produkten sönderdelas ej när den används i enlighet med avsnitt 1.

AVSNITT 11: Toxikologisk information

11.1. Information om faroklasser enligt förordning (EG) nr 1272/2008

▼Akut toxicitet

Produkt/Ämne	Alcohol, C10-18, ethoxylated
Testmetod:	OECD 423
Art:	Råtta
Exponeringsväg:	Oralt
Test:	LD50
Resultat:	>300- 2000 mg/kg

Produkt/Ämne	1,2-benzisotiazol-3(2H)-on
Art:	Råtta
Exponeringsväg:	Oralt
Test:	LD50
Resultat:	1450 mg/kg

Produkt/Ämne	1,2-benzisotiazol-3(2H)-on
Art:	Råtta
Exponeringsväg:	Hud
Test:	LD50
Resultat:	>5000 mg/kg

Frätande/irriterande på huden

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Allvarlig ögonskada/ögonirritation

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Luftvägssensibilisering

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

▼Hudsensibilisering

Produkten innehåller ämnen, som kan utlösa en allergisk reaktion hos redan sensibiliserade personer.

Mutagenitet i könsceller

Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Cancerogenitet
Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Reproduktionstoxicitet
Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Specifik organtoxicitet – enstaka exponering
Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Specifik organtoxicitet – upprepad exponering
Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

Fara vid aspiration
Kriterierna för klassificering kan på grundval av tillgängliga data inte anses vara uppfyllda.

11.2. Information om andra faror

▼Långsiktiga effekter

Inga kända.

▼Hormonstörande egenskaper

Ej tillämpligt.

▼Annan information

Inga kända.

AVSNITT 12: Ekologisk information

12.1. ▼Toxicitet

Produkt/Ämne	Alcohol, C10-18, ethoxylated
Testmetod:	OECD 202
Art:	Kräftdjur, Daphnia magna
Varaktighet:	48 timmar
Test:	EC50
Resultat:	>1-<10 mg/L

Produkt/Ämne	Alcohol, C10-18, ethoxylated
Testmetod:	OECD 201
Art:	Alger, Desmodesmus subspicatus
Varaktighet:	72 timmar
Test:	EC50
Resultat:	>1-<10 mg/L

Produkt/Ämne	Alcohol, C10-18, ethoxylated
Testmetod:	OECD 215
Art:	Fisk, Brachydanio rerio
Varaktighet:	28 dagar
Test:	NOEC
Resultat:	>0,1-<1 mg/L

Produkt/Ämne	Alcohol, C10-18, ethoxylated
Testmetod:	OECD 211
Art:	Kräftdjur, Daphnia magna
Varaktighet:	21 dagar
Test:	NOEC
Resultat:	>0,1-<1 mg/L

Produkt/Ämne	1,2-benzisotiazol-3(2H)-on
Art:	Fisk, Pimephales promelas
Del av miljön:	Vatten
Varaktighet:	96 timmar
Test:	LC50
Resultat:	3,4 mg/L

Produkt/Ämne	1,2-benzisotiazol-3(2H)-on
Art:	Alger
Del av miljön:	Vatten
Varaktighet:	72 timmar
Test:	EC50
Resultat:	0,15 mg/L

Produkt/Ämne	1,2-benzisotiazol-3(2H)-on
Art:	Kräftdjur, Daphnia magna
Del av miljön:	Vatten
Varaktighet:	48 timmar
Test:	LC50
Resultat:	1,3 - 1,6 mg/L

12.2. ▼Persistens och nedbrytbarhet
Ingen data tillgänglig.

12.3. ▼Bioackumuleringsförmåga
Ingen data tillgänglig.

12.4. ▼Rörlighet i jord
Ingen data tillgänglig.

12.5. Resultat av PBT- och vPvB-bedömningen
Denna blandning/produkt innehåller inga ämnen som anses uppfylla kriterierna för klassificering som PBT- och/eller vPvB-ämnen.

12.6. ▼Hormonstörande egenskaper
Ej tillämpligt.

12.7. ▼Andra skadliga effekter
Inga kända.

AVSNITT 13: Avfallshantering

13.1. ▼Avfallsbehandlingsmetoder
Produkten omfattas ej av reglerna om farligt avfall.
SFS Avfallsförordning (2020:614).

EWC-kod
20 01 30 Andra rengöringsmedel än de som anges i 20 01 29

Förorenad förpackning
Avfallskategorin är vägledande och beror på vilket sätt avfallet har blivit till. Förpackningar med restinnehåll av produkten skall kasseras på samma sätt som produkten.

AVSNITT 14: Transportinformation

	14.1 UN	14.2 Officiell transportbenämning	14.3 Faroklass för transport	14.4 PG*	14.5 Env**	Annan information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Förpackningsgrupp
** Miljöfaror

▼Annat
Ej farligt gods i enlighet med ADR, IATA och IMDG.

14.6. ▼Särskilda skyddsåtgärder
Ej tillämpligt.

14.7. ▼Bulktransport till sjöss enligt IMO:s instrument
Ingen data tillgänglig.

AVSNITT 15: Gällande föreskrifter

15.1. Föreskrifter/lagstiftning om ämnet eller blandningen när det gäller säkerhet, hälsa och miljö

▼Användningsrestriktioner
Inga särskilda.

Krav på särskild utbildning
Inga särskilda krav.

▼SEVESO - Farokategorier / Farliga ämnen
Ej tillämpligt.

▼Märkning av innehåll i enlighet med förordning (EG) nr 648/2004 om tvätt- och rengöringsmedel

< 5%
· Nonjontensider
· Parfym
· Konserveringsmedel (BENZISOTHIAZOLINONE)

Annat

Den/de tensid(er) som ingår i denna beredning uppfyller kriterierna för biologisk nedbrytning i förordning (EG) nr 648/2004 om tvätt- och rengöringsmedel. Data som stöder detta påstående finns till förfogande för medlemsstaternas behöriga myndigheter, och kommer att göras tillgängliga för dem vid direkt förfrågan, eller vid förfrågan från tillverkare av tvätt- och rengöringsmedel.

▼Källor

Europaparlamentets och rådets förordning (EG) nr 648/2004 av den 31 mars 2004 om tvätt- och rengöringsmedel.
SFS Avfallsförordning (2020:614).
1993 Hazardous Substances Law
Europaparlamentets och rådets förordning (EG) nr 1272/2008 av den 16 december 2008 om klassificering, märkning och förpackning av ämnen och blandningar (CLP).
Europaparlamentets och rådets förordning (EG) nr 1907/2006 av den 18. december 2006 om registrering, utvärdering, godkännande och begränsning av kemikalier (REACH).

15.2. Kemikaliesäkerhetsbedömning

Nej

AVSNITT 16: Annan information

▼Ordalydelse för H-fraser som anges i avsnitt 3

H302, Skadligt vid förtäring.
H315, Irriterar huden.
H317, Kan orsaka allergisk hudreaktion.
H318, Orsakar allvarliga ögonskador.
H319, Orsakar allvarlig ögonirritation.
H400, Mycket giftigt för vattenlevande organismer.
H411, Giftigt för vattenlevande organismer med långtidseffekter.
H412, Skadliga långtidseffekter för vattenlevande organismer.

▼Förkortningar och akronymer

ADR = Europeisk överenskommelse om transport av farligt gods på väg
ATE = Uppskattad akut toxicitet
BCF = Biokoncentrationsfaktor
CAS = Registeringsnummer som tilldelats av Chemical Abstract Services
CE = Conformité Européenne (I överensstämmelse med EU-direktiven)
CLP = Europaparlamentets och rådets förordning (EG) 1272/2009 (CLP) om klassificering, märkning och förpackning av ämnen och blandningar
CSA = Kemikaliesäkerhetsbedömning
CSR = Kemikaliesäkerhetsrapport
DNEL = Härledd noll-effekt nivå (Derived No Effect Level)
EINECS = European Inventory of Existing Commercial chemical Substances
ES = Exponeringsscenario
EUH-faroangivelser = kompletterande faroangivelser enligt CLP
EWC = Europeiska avfallskatalogen
GHS = Globalt harmoniserat system för klassificering och märkning av kemiska ämnen och beredningar
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods
LogPow = logaritmen av fördelningskoefficienten oktanol/vatten
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NGV = Tidsvägt medelvärde
OECD = Organisation for Economic Co-operation and Development
PBT = Persistenta, bioackumulerande och toxiska
PNEC = Koncentration som sannolikt inte förorsakar negativ effekt
REACH = Registrering, utvärdering, godkännande och begränsning av kemikalier (Förordning (EG) nr 1907/2006)
RRN = REACH registreringsnummer
SCL = Specifik koncentrationsbegränsning.
STOT-RE = Toxicitet för specifikt målorgan - upprepad exponering
STOT-SE = Toxicitet för specifikt målorgan - enstaka exponering

SVHC = Särskilt farliga ämnen
UVBC = Ämnen med okänd eller varierande sammansättning, komplexa reaktionsprodukter eller biologiskt material.
UN = Förenta Nationerna
VOC = Flyktiga organiska ämnen
vPvB = Mycket persistenta och mycket bioackumulerande

▼Annat

Ej tillämpligt.

▼Säkerhetsdatabladet är validerat av

JE

Annat

Modifierad data i jämförelse med tidigare utgåva är märkt med en blå trekant (Första siffran i SDB version).
Upplysningarna i detta säkerhetsdatablad är baserat på vår nuvarande kunskap. Informationen på säkerhetsdatabladen bygger på bästa tillgängliga data och gäller vid produktens avsedda hantering. Detta säkerhetsdatablad avser endast denna produkt och är eventuellt inte tillämpligt om produkten används som ingrediens i annan produkt. Användes produkten på annat sätt eller i annan applikation än den som produkten ursprungligen utvecklats för, eller rekommenderats till, sker detta helt under användarens ansvar. Avsikten med detta säkerhetsdatablad är att beskriva säkerhetskraven för produkten. Det får inte uppfattas som en garanti för produktens egenskaper och informationerna kan inte ersätta ett produktdatablad.
Det rekommenderas att detta säkerhetsdatablad lämnas till den faktiska användaren av produkten.
Land-språk: SE-sv